Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

- 1. (Currently Amended) A network infrastructure for supporting communications with mobile devices, comprising:
 - a communications network;
- a mobile resources server coupled to the communications network and configured to provide information about available resources;
 - a mobile resources proxy coupled to the communications network;
 - a mobile device coordinator coupled to the communications network;
 - a security server coupled to the communications network; and
- a mobile device access point coupled to the communications network and configured for communications with mobile devices.
- 2. (Original) The network infrastructure of claim 1, wherein the mobile resources server, mobile resources proxy, mobile device coordinator, and security server are all server functions provided by a single server computer.
- 3. (Original) The network infrastructure of claim 1, wherein more than one of the mobile resources server, mobile resources proxy, mobile device coordinator, and security server are server functions provided by a single server computer.
- 4. (Original) The network infrastructure of claim 1, wherein the communications network is a local area network (LAN).
- 5. (Original) The network infrastructure of claim 1, wherein the communications network is a shopping area communications network.

- 6. (Original) The network infrastructure of claim 1, further comprising:

 a wireless access proxy configured to send and receive non internet protocol (IP)

 communications.
- 7. (Original) The network infrastructure of claim 1, wherein the mobile device access point is configured to send and receive internet protocol (IP) communications.
- 8. (Original) The network infrastructure of claim 1, wherein the wireless access proxy includes a wireless network interface.
- 9. (Original) The network infrastructure of claim 1, wherein the wireless access proxy includes a request interpreter.
- 10. (Original) The network infrastructure of claim 1, wherein the wireless access proxy includes an IP network interface.
- 11. (Currently Amended) A communications system for communicating with mobile wireless devices, comprising:
 - a communications network;
 - a wireless device access point coupled to the communications network;
- at least one mobile wireless device configured to communicate with the wireless access point when the mobile wireless device is within a communications range; and
- a centralized management system configured to manage and control mobile device resources, wherein the centralized management system includes a mobile resources server, a mobile resources proxy, a mobile device coordinator, and a security server.

wherein the mobile resources server is configured to provide information about available resources.

12. (Canceled)

- 13. (Original) The communications network of claim 11, wherein the centralized management system includes more than one of a mobile resources server, a mobile resources proxy, a mobile device coordinator, and a security server.
- 14. (Original) The communications network of claim 11, wherein the communications network is a local area network (LAN).
- 15. (Original) The communications network of claim 11, wherein the communications network is a shopping area communications network.
- 16. (Original) The communications network of claim 11, further comprising: a wireless access proxy configured to send and receive non internet protocol (IP) communications.
- 17. (Original) The communications network of claim 16, wherein the mobile device access point is configured to send and receive internet protocol (IP) communications.
- 18. (Original) The communications network of claim 16, wherein the wireless access proxy includes a wireless network interface.
- 19. (Original) The network infrastructure of claim 18, wherein the wireless access proxy includes a request interpreter.
- 20. (Original) The network infrastructure of claim 19, wherein the wireless access proxy includes an IP network interface.
- 21. (Previously Presented) A method of providing a web page to a mobile device using a Bluetooth wireless transceiver, comprising:

establishing a wireless communications link with the mobile device;

reporting the connection to a mobile device coordinator;

providing information to the mobile device, from a mobile resources server, about resources available to the mobile device;

receiving a web page request from the mobile device;

interpreting the request;

sending the request to a mobile resources proxy that verifies the request with a security server and after verification retrieves the web page;

receiving the web page from the mobile resources proxy; and sending the web page to the mobile device.

22. (Currently Amended) A method of providing a web page to a mobile device using an IEEE 802.11 wireless transceiver, comprising:

establishing a wireless communications link with a local area network (LAN) access point;

locating a mobile resources server configured to provide information about available resources;

requesting a web proxy location;

receiving web proxy location;

requesting the web page through LAN access point and through mobile resource proxy; and

receiving the web page from the mobile resources proxy.

23. (Currently Amended) A method of retrieving a web page by a mobile device using an IEEE 802.11 wireless transceiver, comprising:

establishing a wireless communications link with a local area network (LAN) access point;

requesting a web page via a network gateway;

intercepting the request by a firewall;

sending the request by the firewall to a mobile resources proxy.

verifying request by the mobile resources proxy using a mobile resources server, wherein the mobile resources server is also configured to provide information about available resources;

receiving the web page through the mobile resources proxy.

24. (Currently Amended) A method of providing a secure document to a mobile device using a Bluetooth transceiver, comprising:

establishing a wireless communications link with the mobile device;
receiving a web page request from the mobile device;
interpreting the request;
sending the request to a mobile resources proxy;
providing an authorization for to the mobile device;
receiving authorization information from the mobile device;
sending the authorization information to a mobile resources server that verifies the authorization information, wherein the mobile resources server is also configured to provide information about available resources;

receiving the web page from the mobile resources proxy; and sending the web page to the mobile device.

- 25. (Canceled)
- 26. (Canceled)